

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024  
Issuing Date: 26-Dec-2011  
Revision Number: 9  
Safety data sheet number: GC-30K18

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Safety data sheet number GC-30K18  
Product Name GC-30K, GC-30K18, GC-30K38, GC-30K4K

**Other means of identification**

Pure substance/mixture Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended use Water based ink for inkjet printing machine  
Uses advised against No information available

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer**

Brother Industries, Ltd.  
15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan  
Telephone (for information): +81-52-824-2735

**Supplier**

(Europe)  
Brother Internationale Industriemaschinen GmbH  
Dusseldorfer Str. 7-9, D-46446, Emmerich, am Rhein, Germany  
Telephone (for information): +49-2-822-6090

(Asia)

BROTHER MACHINERY ASIA LTD.  
17/F., Fugro House-KCC 2, No.1 Kwai On Road, Kwai Chung, New Territories, Hong Kong SAR  
Telephone (for information): +852-2777-0010

**For further information, please contact**

E-mail address sds.info@brother.co.jp

**1.4. Emergency telephone number**

Emergency Telephone CHEMTREC +1-703-527-3887 (International)  
For France only:  
Antipoison Center telephone number: ORFILA +33-1-45-425-959

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024  
 Issuing Date: 26-Dec-2011  
 Revision Number: 9  
 Safety data sheet number: GC-30K18

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No 1272/2008**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

**2.2. Label elements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

**Hazard statements**

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one May produce an allergic reaction.

EUH210 - Safety data sheet available on request

**Unknown acute toxicity**

3 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

48 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

48 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

**Unknown aquatic toxicity**

Contains 0 % of components with unknown hazards to the aquatic environment.

**2.3. Other hazards**

May be harmful if swallowed.

**Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Not applicable

**3.2 Mixtures**

Chemical name	CAS No.	EC No (EU Index No)	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	REACH registration number
Water	7732-18-5	231-791-2	40-60	No data available	-	-	-	Not applicable
Diethylene glycol	111-46-6	203-872-2 (603-140-00-6)	40-50	Acute Tox. 4 (H302)	-	-	-	Not applicable
carbon black	1333-86-4	215-609-9	1-5	No data available	-	-	-	Not applicable

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024

Issuing Date: 26-Dec-2011

Revision Number: 9

Safety data sheet number: GC-30K18

Ethylene glycol	107-21-1	203-473-3 (603-027-00-1)	<1	Acute Tox. 4 (H302)	-	-	-	Not applicable
1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9 (613-088-00-6)	<0.036	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	Skin Sens. 1 :: C>=0.05%	-	-	Not applicable

**Full text of H- and EUH-phrases: see section 16**

**Acute Toxicity Estimate**

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Water 7732-18-5	89838.9	No data available	No data available	No data available	No data available
Diethylene glycol 111-46-6	12565	11890	4.6	No data available	No data available
carbon black 1333-86-4	15400	No data available	0.0046	No data available	No data available
Ethylene glycol 107-21-1	4700	10600	3.75	No data available	No data available
1,2-benzisothiazol-3(2H)-one 2634-33-5	1020	2000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General advice**

If symptoms persist, call a physician.

**Inhalation**

Get immediate medical advice/attention. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024  
Issuing Date: 26-Dec-2011  
Revision Number: 9  
Safety data sheet number: GC-30K18

<b>Eye contact</b>	Get medical attention. In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes.
<b>Skin contact:</b>	Take off immediately all contaminated clothing. Wash off immediately with soap and plenty of water.
<b>Ingestion</b>	Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to drink.
<b>Self-protection of the first aider</b>	No information available.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Skin contact: Repeated and/or prolonged skin contact may cause irritation Eye contact : May cause eye irritation May cause redness and tearing of the eyes Inhalation : May be harmful if inhaled Ingestion : Ingestion above therapeutic dose may cause nausea, vomiting, dizziness, and headache Symptoms may be delayed
-----------------	---

**4.3. Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

<b>Suitable Extinguishing Media</b>	Dry chemical, CO <sub>2</sub> , water spray or regular foam
-------------------------------------	---

<b>Unsuitable extinguishing media</b>	None.
---------------------------------------	-------

**5.2. Special hazards arising from the substance or mixture**

<b>Specific hazards arising from the chemical</b>	Water-based inkjet ink. The product itself is not flammable, but the residue left after evaporating the water contained in the product is flammable.
---	--

**5.3. Advice for firefighters**

<b>Special protective equipment for fire-fighters</b>	Wear self contained breathing apparatus for fire fighting if necessary.
---	---

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

<b>For non-emergency personnel</b>	Avoid contact with skin, eyes or clothing
------------------------------------	---

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024  
Issuing Date: 26-Dec-2011  
Revision Number: 9  
Safety data sheet number: GC-30K18

**For emergency responders** Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

**Environmental precautions** Avoid release to the environment. Prevent substance entering sewers. Washings must be prevented from entering surface water drains.

**6.3. Methods and material for containment and cleaning up**

**Methods for containment** Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Wipe up with absorbent towel Wash with water to remove remaining traces of ink.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep container tightly closed. Keep out of reach of children.

**7.3. Specific end use(s)**

**Specific use(s)** Water based ink for inkjet printing machine.

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure Limits**

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024

Issuing Date: 26-Dec-2011

Revision Number: 9

Safety data sheet number: GC-30K18

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Diethylene glycol 111-46-6	-	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup> STEL 40 ppm STEL 176 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>	TWA: 23 ppm TWA: 101 mg/m <sup>3</sup>
carbon black 1333-86-4	-	-	TWA: 3 mg/m <sup>3</sup>	-	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> *	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> STEL 20 ppm STEL 52 mg/m <sup>3</sup> H*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> D*	STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> TWA: 52 mg/m <sup>3</sup> TWA: 20 ppm K*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> *
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Diethylene glycol 111-46-6	-	-	TWA: 2.5 ppm TWA: 11 mg/m <sup>3</sup> STEL: 5 ppm STEL: 22 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 45 mg/m <sup>3</sup> STEL: 20 ppm STEL: 90 mg/m <sup>3</sup> A*	-
carbon black 1333-86-4	-	TWA: 2.0 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>
Ethylene glycol 107-21-1	* STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> TWA: 20 ppm TWA: 52 mg/m <sup>3</sup>	TWA: 50 mg/m <sup>3</sup> Ceiling: 100 mg/m <sup>3</sup> D*	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> H* STEL: 104 mg/m <sup>3</sup> STEL: 40 ppm STEL: 20 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> A*	TWA: 20 ppm TWA: 50 mg/m <sup>3</sup> STEL: 40 ppm STEL: 100 mg/m <sup>3</sup> iho*
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Diethylene glycol 111-46-6	-	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup> Peak: 40 ppm Peak: 176 mg/m <sup>3</sup>	-	-
carbon black 1333-86-4	TWA: 3.5 mg/m <sup>3</sup>	-	-	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> *	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> H*	TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> Peak: 20 ppm Peak: 52 mg/m <sup>3</sup> *	TWA: 50 ppm TWA: 125 mg/m <sup>3</sup> STEL: 50 ppm STEL: 125 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> b*
1,2-benzisothiazol-3(2H)- one 2634-33-5	-	-	skin sensitizer	-	-
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Diethylene glycol 111-46-6	TWA: 23 ppm TWA: 100 mg/m <sup>3</sup> STEL: 69 ppm STEL: 300 mg/m <sup>3</sup>	-	-	TWA: 10 mg/m <sup>3</sup>	O* TWA: 10 ppm TWA: 45 mg/m <sup>3</sup> STEL: 20 ppm STEL: 90 mg/m <sup>3</sup>
carbon black 1333-86-4	TWA: 3 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	-	TWA: 3 mg/m <sup>3</sup>	-	-
Ethylene glycol	TWA: 20 ppm	TWA: 20 ppm	TWA: 25 ppm	TWA: 20 ppm	O*

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

107-21-1	TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> Sk*	TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> cute*	STEL: 50 ppm STEL: 10 mg/m <sup>3</sup>	TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> Ada*	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> STEL: 20 ppm STEL: 50 mg/m <sup>3</sup>
<b>Chemical name</b>	<b>Luxembourg</b>	<b>Malta</b>	<b>Netherlands</b>	<b>Norway</b>	<b>Poland</b>
Diethylene glycol 111-46-6	-	-	-	-	TWA: 10 mg/m <sup>3</sup>
carbon black 1333-86-4	-	-	-	TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup>
Ethylene glycol 107-21-1	Peau* STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> TWA: 20 ppm TWA: 52 mg/m <sup>3</sup>	skin* STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> TWA: 20 ppm TWA: 52 mg/m <sup>3</sup>	TWA: 52 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> H*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 104 mg/m <sup>3</sup> STEL: 40 ppm H*	STEL: 50 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup> skóra*
<b>Chemical name</b>	<b>Portugal</b>	<b>Romania</b>	<b>Slovakia</b>	<b>Slovenia</b>	<b>Spain</b>
Diethylene glycol 111-46-6	-	TWA: 115 ppm TWA: 500 mg/m <sup>3</sup> STEL: 184 ppm STEL: 800 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup> Ceiling: 90 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 44 mg/m <sup>3</sup> STEL: 40 ppm STEL: 176 mg/m <sup>3</sup>	-
carbon black 1333-86-4	TWA: 3 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-	TWA: 3.5 mg/m <sup>3</sup>
Ethylene glycol 107-21-1	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> Ceiling: 100 mg/m <sup>3</sup> Cutânea*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> P*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> K* Ceiling: 104 mg/m <sup>3</sup>	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> K*	TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> via dérmica*
<b>Chemical name</b>	<b>Sweden</b>		<b>Switzerland</b>		<b>United Kingdom</b>
Diethylene glycol 111-46-6	NGV: 10 ppm NGV: 45 mg/m <sup>3</sup> Vägledande KGV: 20 ppm Vägledande KGV: 90 mg/m <sup>3</sup> H*		TWA: 10 ppm TWA: 44 mg/m <sup>3</sup> STEL: 40 ppm STEL: 176 mg/m <sup>3</sup>		TWA: 23 ppm TWA: 101 mg/m <sup>3</sup> STEL: 69 ppm STEL: 303 mg/m <sup>3</sup>
carbon black 1333-86-4	NGV: 3 mg/m <sup>3</sup>		-		TWA: 3.5 mg/m <sup>3</sup> STEL: 7 mg/m <sup>3</sup>
Ethylene glycol 107-21-1	NGV: 10 ppm NGV: 25 mg/m <sup>3</sup> Bindande KGV: 40 ppm Bindande KGV: 104 mg/m <sup>3</sup> H*		TWA: 10 ppm TWA: 26 mg/m <sup>3</sup> STEL: 20 ppm STEL: 52 mg/m <sup>3</sup> H*		TWA: 10 mg/m <sup>3</sup> TWA: 20 ppm TWA: 52 mg/m <sup>3</sup> STEL: 40 ppm STEL: 104 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> Sk*

**Biological occupational exposure limits**

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
carbon black 1333-86-4	-	( - )	-	-	-

**Derived No Effect Level (DNEL) - Workers** No information available

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024  
Issuing Date: 26-Dec-2011  
Revision Number: 9  
Safety data sheet number: GC-30K18

**Derived No Effect Level (DNEL) - General Public** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

**8.2. Exposure controls**

<b>Appropriate engineering controls</b>	Good general ventilation should be sufficient under normal use.
<b>Personal protective equipment</b>	Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied:
<b>Eye/face protection</b>	Safety goggles
<b>Hand protection</b>	Protective gloves
<b>Skin and body protection</b>	Long sleeved clothing and long pants
<b>Respiratory protection</b>	In case of large spillages: Wear suitable respiratory protective equipment.
<b>Thermal hazards</b>	No information available.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice.
<b>Environmental exposure controls</b>	Avoid release to the environment.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Color</b>	black
<b>Odor</b>	Slight
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No information available	
<b>Initial boiling point and boiling range</b>	No information available	
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Flash point</b>	> 93.3 °C	CC (closed cup)
<b>Autoignition temperature</b>	No data available	None known

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024  
 Issuing Date: 26-Dec-2011  
 Revision Number: 9  
 Safety data sheet number: GC-30K18

<b>Decomposition temperature</b>	No data available	None known
<b>pH</b>	7 - 9	
<b>pH (as aqueous solution)</b>	No information available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No information available	
<b>Water solubility</b>	Miscible in water	
<b>Solubility(ies)</b>	No information available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Vapor pressure</b>	No data available	None known
<b>Relative density</b>	1.0 - 1.2	(H <sub>2</sub> O=1)
<b>Bulk density</b>	No data available	
<b>Liquid Density</b>	No data available	
<b>Relative vapor density</b>	No data available	None known
<b>Particle characteristics</b>		
<b>Particle Size</b>	No data available	
<b>Particle Size Distribution</b>	No data available	

**9.2. Other information**

***9.2.1. Information with regard to physical hazard classes***

<b>Explosives</b>	
Explosive properties	Not explosive
<b>Oxidizing properties</b>	No information available

***9.2.2. Other safety characteristics***

No information available

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity** No information available.

**10.2. Chemical stability**

**Stability** Stable under normal conditions.

**Explosion data**

**Sensitivity to mechanical impact** None.  
**Sensitivity to static discharge** None.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** No information available.

**10.4. Conditions to avoid**

**Conditions to avoid** No information available.

**10.5. Incompatible materials**

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024  
 Issuing Date: 26-Dec-2011  
 Revision Number: 9  
 Safety data sheet number: GC-30K18

**Incompatible materials** Strong oxidizing agents

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** Carbon monoxide, Carbon dioxide (CO<sub>2</sub>)

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Information on likely routes of exposure**

**Product Information**

**Inhalation** No information available  
**Eye contact** No information available.  
**Skin contact** No information available.  
**Ingestion** Acute LD<sub>50</sub> > 2000 mg/kg (OECD 423 method)

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** No information available.

**Acute toxicity**

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (dermal)** 26,422.20 mg/kg

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg ( Rat )	-	-
Diethylene glycol	= 12565 mg/kg ( Rat )	= 11890 mg/kg ( Rabbit )	> 4600 mg/m <sup>3</sup> ( Rat ) 4 h
carbon black	> 15400 mg/kg ( Rat )	-	> 4.6 mg/m <sup>3</sup> ( Rat ) 4 h
Ethylene glycol	= 4700 mg/kg ( Rat )	= 10600 mg/kg ( Rat )	> 2.5 mg/L ( Rat ) 6 h
1,2-benzisothiazol-3(2H)-one	= 1020 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** Repeated and/or prolonged skin contact may cause irritation

**Serious eye damage/eye irritation** May cause eye irritation. May cause redness and tearing of the eyes.

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

**Revision date:** 24-May-2024  
**Issuing Date:** 26-Dec-2011  
Revision Number: 9  
Safety data sheet number: GC-30K18

**Respiratory or skin sensitization** Repeated or prolonged contact may cause allergic reactions in very susceptible persons

**Germ cell mutagenicity** No information available

**Carcinogenicity** Printing inks: IARC Classification: Group 3 (Non-classified Human Carcinogen)

Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors

**Other** ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA

**Reproductive toxicity** No information available

**STOT - single exposure** No information available

**STOT - repeated exposure** No information available

**Aspiration hazard** No information available

**11.2. Information on other hazards**

**11.2.1. Endocrine disrupting properties**  
**Endocrine disrupting properties** No information available.

**11.2.2. Other information**  
**Other adverse effects** No information available.

**SECTION 12: Ecological information**

**12.1. Toxicity**  
**Ecotoxicity** Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
---------------	----------------------	------	-------------	-----------

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024

Issuing Date: 26-Dec-2011

Revision Number: 9

Safety data sheet number: GC-30K18

			microorganisms	
Diethylene glycol	-	LC50: =75200mg/L (96h, Pimephales promelas)	EC50 = 29228 mg/L 15 min	EC50: =84000mg/L (48h, Daphnia magna)
Ethylene glycol	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =41000mg/L (96h, Oncorhynchus mykiss) LC50: 14 - 18mL/L (96h, Oncorhynchus mykiss) LC50: =27540mg/L (96h, Lepomis macrochirus) LC50: =40761mg/L (96h, Oncorhynchus mykiss) LC50: 40000 - 60000mg/L (96h, Pimephales promelas) LC50: =16000mg/L (96h, Poecilia reticulata)	EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min	EC50: =46300mg/L (48h, Daphnia magna)

**12.2. Persistence and degradability**

**Persistence and degradability** No information available.

**12.3. Bioaccumulative potential**

**Bioaccumulation** No information available.

**Component Information**

Chemical name	Partition coefficient
Diethylene glycol	-1.98
Ethylene glycol	-1.36
1,2-benzisothiazol-3(2H)-one	0.99

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**Mobility** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

Chemical name	PBT and vPvB assessment
Diethylene glycol	The substance is not PBT / vPvB
carbon black	The substance is not PBT / vPvB
Ethylene glycol	The substance is not PBT / vPvB
1,2-benzisothiazol-3(2H)-one	The substance is not PBT / vPvB

**12.6. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

**12.7. Other adverse effects**

No information available.

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024  
Issuing Date: 26-Dec-2011  
Revision Number: 9  
Safety data sheet number: GC-30K18

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with federal, state and local regulations.

## SECTION 14: Transport information

### IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

### IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	Not applicable

### RID

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

### ADR

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

## SECTION 15: Regulatory information

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024

Issuing Date: 26-Dec-2011

Revision Number: 9

Safety data sheet number: GC-30K18

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National Regulations**

**France**

**Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
Diethylene glycol - 111-46-6	RG 84
carbon black - 1333-86-4	RG 16, RG 16bis
Ethylene glycol - 107-21-1	RG 84
1,2-benzisothiazol-3(2H)-one - 2634-33-5	RG 65

**Germany**

**Water hazard class (WGK)** slightly hazardous to water (WGK 1)

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

**Authorizations and/or restrictions on use:**

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
Diethylene glycol - 111-46-6	75.	-
carbon black - 1333-86-4	75.	-
1,2-benzisothiazol-3(2H)-one - 2634-33-5	Use restricted. See entry 75.	-

**Persistent Organic Pollutants**

Not applicable

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**EU - Plant Protection Products (1107/2009/EC)**

Chemical name	EU - Plant Protection Products (1107/2009/EC)
carbon black - 1333-86-4	Plant protection agent

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
1,2-benzisothiazol-3(2H)-one - 2634-33-5	Product-type 2: Disinfectants and algicides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 9: Fiber, leather, rubber and polymerized materials preservatives Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimecides Product-type 13: Working or cutting fluid

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024

Issuing Date: 26-Dec-2011

Revision Number: 9

Safety data sheet number: GC-30K18

	preservatives
--	---------------

**International Inventories**

<b>TSCA</b>	Complies
<b>DSL/NDSL</b>	Complies
<b>EINECS/ELINCS</b>	Complies
<b>ENCS</b>	Complies
<b>IECSC</b>	Complies
<b>KECL</b>	Complies
<b>PICCS</b>	Complies
<b>AICS</b>	Complies
<b>NZIoC</b>	Complies

**Legend:**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances
- NZIoC** - New Zealand Inventory of Chemicals

**15.2. Chemical safety assessment**

**Chemical Safety Report**                      No information available

**SECTION 16: Other information**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Full text of H-Statements referred to under section 3**

- H302 - Harmful if swallowed
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H318 - Causes serious eye damage
- H400 - Very toxic to aquatic life

**Legend**

- SVHC: Substances of Very High Concern for Authorization:
- PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
- vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

**Legend SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA                      TWA (time-weighted average)                      STEL                      STEL (Short Term Exposure Limit)

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024

Issuing Date: 26-Dec-2011

Revision Number: 9

Safety data sheet number: GC-30K18

Ceiling  
+                      Maximum limit value  
                                 Sensitizers

\*    Skin designation  
\*The exact percentage (concentration) of composition has been withheld as a trade secret

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	On basis of test data
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	On basis of test data
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGL(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

**Issuing Date**    26-Dec-2011

**Revision date**    24-May-2024

Product Name: GC-30K, GC-30K18, GC-30K38, GC-30K4K

Revision date: 24-May-2024

Issuing Date: 26-Dec-2011

Revision Number: 9

Safety data sheet number: GC-30K18

---

**Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**